

## Mercedes-Benz Actros 3341 A (6x6) chassis

Model: Mercedes-Benz Actros  
Type: 3341 A  
Chassis Variant: S or M  
Drive config.: 6x6  
Wheelbase: 4.500 mm  
Weight: 41.000 kg



### Weight:

- ✓ TS3 weight variant 40,0 t (9,0/16,0/16,0)

### Engine:

- ✓ MV3 V6, LA, 300 kW / 408 PS, 1800/min
- ✓ MS3 Engine Version, Euro 3
- ✓ M49 Tandem air cleaner system
- ✓ K81 Fuel pre-filter, heated water separator
- ✓ Fuel preheating system
- ✓ Radiator protection
- ✓ MP2 Cooling system, reinforced
- ✓ Insect screen in front of radiator
- ✓ Engine mountings, for off-road use

### Clutch and Transmission:

- ✓ Clutch reinforced
- ✓ Gearbox, G 210-16/14,2 - 0,83
- ✓ Telligent-gearshift system II
- ✓ Transmission Oil cooling
- ✓ PTO: ND3 (MB 124-10c) MPA, N-/M (N80)

### Axles and Suspensions:

- ✓ Front axle, straight construction
- ✓ Front axle 9,0 t
- ✓ Rear axle H7 16,0 t, crown wheel 300
- ✓ Differential lock, rear axle
- ✓ Axle ratio  $i = 5,143$  (HL7)
- ✓ Front springs 9,0 t
- ✓ Rear springs 18 t, firm (for axle distance 1450 mm)



## **Wheels and Tyres:**

- ✓ Drop center rims 10,00-20
- ✓ 3x 14.00 R 20 Off Road / Sand tires (Michelin, Goodyear or Bridgestone)
- ✓ 4x 14.00 R 20 Off Road / Sand tires (Michelin, Goodyear or Bridgestone)
- ✓ 4x 14.00 R 20 Off Road / Sand tires (Michelin, Goodyear or Bridgestone)

## **Frame and components attached to frame**

- ✓ CR4 Fastening parts on frame or hole grid
- ✓ CL9 LS 6/ LS 8 steering
- ✓ KS4 Main tank 400 l., steel
- ✓ K40 Tank filler cap, lockable
- ✓ K45 Fuel filter screen in filler neck
- ✓ KH7 Silencer with tail pipe to the left side
- ✓ C63 Bumper, steel version
- ✓ Q28 Trailer or towing coupling Make RINGFEDER or ROCKINGER
- ✓ Q57 Trailer coupling G 150

## **Brake System**

- ✓ BB6 Drum Brake on front axle and rear axles
- ✓ BB0 ABS with deactivation facility
- ✓ BB1 Telligent braking system with ABS
- ✓ B65 Compressed-air dryer, heater
- ✓ B43 Trailer brakes 2-lines

## **Cabin exterior**

- ✓ S-Cabin or M-Cabin
- ✓ Cab with straight rear wall
- ✓ Cab suspension standard
- ✓ FL3 Reinforced spring strut bearing
- ✓ Tinted glass all round, windscreen w/o band filter
- ✓ Roof hatch/roof fan
- ✓ Access steps left and right, movable
- ✓ Wide angle mirror on driver's side, heated
- ✓ Sun-visor outside transparent
- ✓ Central lock
- ✓ Anti-Theft-Device



## **Cabin interior**

- ✓ SG5 Driver Comfort seat ISRINGHAUSEN
- ✓ Fold-up seat for co-driver
- ✓ Dashboard middle part straight execution
- ✓ Electr. window lifts driver and pass. door
- ✓ Multi function steering wheel
- ✓ Prepared for Telephone
- ✓ Radio / CD player installed
- ✓ Construction side filter

## **Electrics / Electronics**

- ✓ E84 Battery box lockable
- ✓ L72 Electric system for non-DB body
- ✓ EM8 Parameterized special mod. body + trailer CAN, ISO 11992
- ✓ Trailer socket 15-pole
- ✓ Protective grille for headlamps
- ✓ Cruise control
- ✓ L54 Revolving flasher yellow left and right side on cab roof
- ✓ Battery 2x12V. / 165 Ah.
- ✓ Generator 28 V. / 80 A.

## **Additional scopes**

- ✓ First aid kit
- ✓ Warning triangle
- ✓ Warning lampe
- ✓ Two chocks
- ✓ Tire inflation hose 10 m
- ✓ Hydr. Jack 12 to. or 25 to.
- ✓ Set of tools
- ✓ X42 Plates / Booklets English
- ✓ ZZ3 Vehicle in right-hand side traffic operation with country Right-side traffic